EXPLANATORY NOTES

- 1. This bulletin contains a summary of vital statistics for New South Wales for the year ended 31st December, 1967. Detailed statistics for earlier years are published in the Official Year Book of New South Wales and in Population and Vital Statistics part of the Statistical Register.
- 2. Estimates of the Population have been prepared by adding to the population ascertained at the previous census and the subsequent natural increase (the excess of births over deaths) and estimated net migration. The estimated net migration component has been based on statistics of oversea migration by State of residence and estimates of interstate transfers of residence, derived from recorded transfers of State of residence under child endowment and Commonwealth electrol procedures, with an estimated allowance for transfers of residence not covered by these procedures. No allowance is made for holiday, business, or other similar short-term movement interstate. The population estimates have been revised in the light of the final 1966 census results.
- 3. Aborigines. Full-blood aborigines have been included in population estimates from 30th September, 1966, and in statistics of births and deaths (and hence, of natural increase) from 1st January, 1967. (Marriages of aborigines are included in all periods.) Differences between population estimates including aborigines and those purporting to exclude them should not be taken as a reliable measure of the number of full-blood aborigines.
- 4. Births and Deaths in Statistical Divisions. Births registered in New South Wales are allocated to a sub-division of the State according to the usual residence of the mother and deaths registered are allocated according to the usual residence of the deceased. In cases where the usual residence is outside the State, the birth or death is allocated to the sub-division in which it occurred.
- 5. Still-births. For purposes of record, still-births are registered as deaths as well as births, but in this bulletin, still-births are not included in the statistics of deaths. A still-borm is defined as "any child of seven months gestation or over, not born alive, and includes any child not born alive which measures at least fourteen inches, but does not include any child which has actually breathed".
- 6. <u>Infant deaths</u>. The term "infant deaths" relates to the deaths of infants under one year of age.
- 7. Classification of Causes of Death. Deaths have been classified in this bulletin according to the Seventh Revision (1955) of the International Statistical Classification of Diseases, Injuries and Causes of Death.
- 8. Sydney Statistical Division. The Division, as defined for general statistical purposes, embraces the area in close economic and social contact with Sydney. It replaces the Metropolis of Sydney and the Division of Cumberland as delineated before 30th June, 1966. The new division comprises the former Cumberland Division, that part of Camden Municipality formerly included in the South Coast Division, and the part of the City of Blue Mountains east of Linden (32,988 acres with an estimated population of 14,540 at 30th June, 1967) formerly included in the Central Tableland Division.
- 9. Statistical Districts. Newcastle Statistical District (within the Hunter and Manning Division) and Wollongong Statistical District (within the South Coast Division), as defined for general statistical purposes, embrace the area in close economic and social contact with the main city. Newcastle Statistical District comprises the Cities of Newcastle and Maitland, the more densely populated north-eastern part of the City of Greater Cessnock (150,835 acres with an estimated population of 33,820 at 30th June, 1967), and the Shires of Lake Macquarie and Port Stephens. Wollongong Statistical District comprises the City of Greater Wollongong and the Municipalities of Kiama and Shellharbour. These new Statistical Districts were adopted in June, 1966

TABLE 1. ESTIMATED POPULATION AND ELEMENTS OF INCREASE, N.S.W.

| NAMES OF THE STATE | Esti | mated Populat | ion | Incre | ease in Popul | ation | Rate of |
|--|-----------------------------------|-------------------------------------|-------------------------------------|----------------------------|---------------------------|----------------------------|-----------------------|
| | at | 31st Decembe | r | Natural | Estimated | | Popula- |
| Year | Males | Females | Persons | Increase (a) | Net Migration (b) | Total | tion Growth (c) |
| | | 170,8 | | | | | Per cent. |
| 1963 1964 1965 | 2,045,992 $2,077,465$ $2,111,102$ | 2,029,254 2,061,785 2,096,666 | 4,075,246 4,139,250 4,207,768 | 46,839 41,031 39,120 | 8,137 22,973 29,398 | 54,976 64,004 68,518 | 1.37 1.57 1.66 |
| 1966 1967 | 2,143,521 $2,180,721$ | 2,129,786 2,166,588 | 4,273,307 4,347,309 | 37,212 39,228 | 25,046(d) 34,774 | 62,258 $74,002$ | 1.48 1.73 |

(a) Excess of live births over deaths.

(b) Estimated net gain in population resulting from migration.

(c) Ratio of total increase in population during the year to the population at the end of the previous year.

(d) Includes the imputed natural increase of full-blood aborigines in the period July to December, 1966.

NOTE: See Explanatory Notes 2 and 3, page 1.

TABLE 2. BIRTHS, DEATHS, AND MARRIAGES, N.S.W.

| Year | Live | Still- | Dea | ths | Marriages | |
|----------|--------|--------|--------|--------|-----------|--|
| rear | births | births | Total | Infant | | |
| 1963 | 84,065 | 1,165 | 37,226 | 1,673 | 30,999 | |
| 1964 | 80,518 | 1,003 | 39,487 | 1,634 | 32,633 | |
| 1965 | 78,069 | 947 | 38,949 | 1,492 | 35,176 | |
| 1966 | 77,758 | 964 | 40,546 | 1,490 | 35,575 | |
| 1967 (a) | 78,841 | 863 | 39,613 | 1,452 | 37,077 | |

(a) See Explanatory Note 3, page 1.

TABLE 3. BIRTH, DEATH, AND MARRIAGE RATES, N.S.W.

| | Live Birth | | Dea | ths | Marriage |
|--|------------|----------|--|--|----------|
| Year | Rate | Rate (h) | Total (a) | Infant | Rate |
| DUDING THE RESIDENCE AND DESCRIPTION OF THE PROPERTY OF THE PR | (4) | | CO TO THE RESIDENCE OF THE PARTY OF THE PART | THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED | |
| 1963 | 20.77 | 13.67 | 9.20 | 19.90 | 7.66 |
| 1964 | 19.61 | 12.30 | 9.61 | 20.29 | 7.95 |
| 1965 | 18.71 | 11.98 | 9.33 | 19.11 | 8.43 |
| 1966 | 18.35 | 12.25 | 9.57 | 19.16 | 8.40 |
| 1967 (d) | 18 . 30 | 10.83 | 9 . 19 | 18 . 42 | 8.60 |

(a) Number per 1,000 of mean population.

(b) Still-births per 1,000 of all births (live and still).

(c) Deaths of children under 1 year of age per 1,000 live births.

(d) See Explanatory Note 3, page 1.

TABLE 4. BIRTH, DEATH, AND MARRIAGE RATES, AUSTRALIA, 1967

| AND THE CONTROL OF TH | Live Birth | Deat | h Rates | Marriage |
|--|-------------|--------------|---------------|-------------|
| State | Rate (a) | Total (a) | Infant (b) | Rate (a) |
| New South Wales | 18.30 | 9 . 19 | 18.42 | 8.60 |
| Victoria | 19.98 | 8.66 | 16.81 | 8 . 55 |
| Queensland | 20.37 | 8.65 | 19.54 | 8.01 |
| South Australia | 18.34 | 8.16 | 16.97 | 8.49 |
| Western Australia | 20.55 | 7.73 | 17.42 | 8.47 |
| Tasmania | 20.04 | 8.57 | 17,23 | 8,53 |
| Australia (c) | 19.40 | 8.69 | 18.26 | 8.46 |

(a) Number per 1,000 of mean population.

(b) Deaths of children under 1 year of age per 1,000 live births.

(c) Including the Northern Territory and Australian Capital Territory.

TABLE 5. BIRTHS AND DEATHS IN STATISTICAL DIVISIONS OF N.S.W., 1967

| Statistical | Mean | Live | Still- | Dea | ths |
|------------------------|--------------|--------|--------|--------|--------|
| Division | Population | Births | births | Total | Infant |
| Sydney (a) | 2,592,990 | 45,993 | 457 | 24,456 | 824 |
| North Coast | 170,840 | 2,996 | 38 | 1,576 | 64 |
| Hunter and Manning - | | | | | |
| Newcastle Statistical | | | | | |
| District (b) | 332,820 | 6,099 | 67 | 3,339 | 124 |
| Balance | 160,510 | 2,721 | 38 | 1,802 | 45 |
| South Coast - | | | | | |
| Wollongong Statistical | | | | | |
| District (b) | 182,650 | 3,412 | 51 | 1,172 | 60 |
| Balance | 77,110 | 1,383 | 24 | 717 | 27 |
| Northern Tableland | 58,530 | 1,157 | 10 | 536 | 27 |
| Central Tableland (a) | 146,990 | 2,808 | 41 | 1,485 | 45 |
| Southern Tableland | 69,320 | 1,429 | 15 | 552 | 23 |
| North Western Slope | 72,100 | 1,379 | 14 | 565 | 25 |
| Central Western Slope | 69,080 | 1,507 | 14 | 626 | 33 |
| South Western Slope | 143,890 | 3,137 | 37 | 1,148 | 60 |
| North Central Plain | 37,020 | 928 | 10 | 290 | 18 |
| Central Plain | 28,560 | 695 | 11 | 223 | 19 |
| Riverina | 95,720 | 2,050 | 21 | 678 | 33 |
| Western Division | 61,440 | 1,144 | 15 | 446 | 25 |
| Lord Howe Island | 285 | 3 | 0 0 0 | 2 | ⊕ • ○ |
| New South Wales | 4,309,068(c) | 78,841 | 863 | 39,613 | 1,452 |

⁽a) See Explanatory Note 8, page 1.

TABLE 6. BIRTH AND DEATH RATES IN STATISTICAL DIVISIONS OF N.S.W., 1967

| ACCORDONATION OF ACTUAL PROMOTED ACTUAL TRACE THE CONTRACT OF ACTUAL PROMOTED | 1 | Still- | births | m 4 1 | |
|---|--|------------------------------------|--|---|-------------------------------------|
| Statistical Division | Live Births per 1,000 of Mean Population | Per 1,000 of Mean Population | Per 1,000 of All Births (live & still) | Total Deaths per 1,000 of Mean Population | Infant Deaths per 1,000 Live Births |
| Sydney (a) | 17.74 | .18 | 9.84 | 9.43 | 17.92 |
| North Coast | 17.54 | . 22 | 12.52 | 9.23 | 21.36 |
| Hunter and Manning - | | | | | |
| Newcastle Statistical | 40.00 | 20 | 40.07 | 10.00 | 20.22 |
| District (b) | 18.33 | . 20 | 10.87 | 10.03 | 20.33 |
| Balance | 16.95 | 。24 | 13.77 | 11.23 | 16.54 |
| South Coast - Wollongong Statistical | | | | | |
| District (b) | 18.68 | . 28 | 14.73 | 6.42 | 17.58 |
| Balance | 17.94 | .31 | 17.06 | 9.30 | 19.52 |
| | | The Attended to 1 | | | |
| Northern Tableland | 19.77 | . 17 | 8.57 | 9.16 | 23.34 |
| Central Tableland (a) | 19.10 | .28 | 14.39 | 10 . 10 | 16.03 |
| Southern Tableland | 20.61 | ,22 | 10.39 | 7.96 | 16.10 |
| North Western Slope | 19.13 | . 19 | 10.05 | 7.84 | 18.13 |
| Central Western Slope | 21.82 | .20 | 9.20 | 9.06 | 21.90 |
| South Western Slope | 21.80 | .26 | 11.66 | 7.98 | 19.13 |
| North Central Plain | 25.07 | . 27 | 10.66 | 7.83 | 19.40 |
| Central Plain | 24.33 | .39 | 15.58 | 7.81 | 27.34 |
| Riverina | 21.42 | .22 | 10.14 | 7.08 | 16.10 |
| Western Division | 18.62 | .24 | 12.94 | 7.26 | 21.85 |
| western bryrston | 1000 | | | | |
| New South Wales | 18 . 30 | 。20 | 10.83 | 9 . 19 | 18.42 |

⁽b) See Explanatory Note 9, page 1.

⁽c) Includes migratory population.

⁽a) See Explanatory Note 8, page 1.(b) See Explanatory Note 9, page 1.

TABLE 7. LIVE BIRTHS: NUPTIALITY AND SEX, N.S.W.

| | DESCRIPTION AND DESCRIPTION OF A STREET | Number | of Live | Births | ONEXA COMPOSITATION COMPONENTIAL AND ANALYSIS ANALYSIS AND ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANAL | Live Births | Ex-nuptial | Male Live |
|----------|---|--------------------|---------------|-------------|--|-------------|------------|-----------|
| Year | | Ex- | Total | | per 1,000 | Births per | Births per | |
| Nuptia | Nuptial | tial Nuptial | Males Females | | Persons | | 100 Total | |
| | Ruperar Mares Fen | Females Persons Po | Population | Live Births | Live Births | | | |
| 1963 | 79,242 | 4,823 | 43,059 | 41,006 | 84,065 | 20.77 | 5.74 | 105 |
| 1964 | 75,091 | 5,427 | 41,414 | 39,104 | 80,518 | 19.61 | 6.74 | 106 |
| 1965 | 72,369 | 5,700 | 40,219 | 37,850 | 78,069 | 18.71 | 7.30 | 106 |
| 1966 | 71,734 | 6,024 | 40,178 | 37,580 | 77,758 | 18.35 | 7.75 | 107 |
| 1967 (a) | 72,541 | 6,300 | 40,407 | 38,434 | 78,841 | 18.30 | 7.99 | 105 |

(a) See Explanatory Note 3, page 1.

TABLE 8. STILL-BIRTHS: NUPTIALITY AND SEX, N.S.W.

| | | Numbe | er of Sti | ll Births | DATE OF THE PROPERTY OF THE PR | Still-births | A . | Male Still- |
|---------|---------|---------|-----------|-----------|--|-------------------------|-------------------------|--------------------------|
| Year | Nuntial | Ex- | Total | | | per 1,000 of All Births | Still-births per 100 | births per 100 Female |
| | Nuptiai | Nuptial | Males | Females | Persons | (Live & Still) | Total Still-births | Still- births |
| 1963 | 1,070 | 95 | 618 | 547 | 1,165 | 13.67 | 8.15 | 113⁄ |
| 1964 | 910 | 93 | 530 | 473 | 1,003 | 12.30 | 9.27 | 112 |
| 1965 | 884 | 63 | 509 | 438 | 947 | 11.98 | 6.65 | 116 |
| 1966 | 879 | 85 | 530 | 434 | 964 | 12.25 | 8.84 | 122 |
| 1967(a) | 781 | 82 | 456 | 407 | 863 | 10.83 | 9.50 | 112 |

(a) See Explanatory Note 3, page 1.

TABLE 9. LIVE BIRTHS REGISTERED IN EACH MONTH, N.S.W.

| Month | 1963 | 1964 | 1965 | 1966 | 1967 (a |
|-----------|--------|--------|--------|--------|---------|
| January | 7,813 | 7,170 | 6,709 | 6,526 | 6,998 |
| February | 6,639 | 6,585 | 5,744 | 6,258 | 6,334 |
| March | 7,016 | 6,361 | 7,162 | 6,832 | 6,561 |
| April | 7,154 | 7,253 | 5,908 | 6,035 | 6,407 |
| May | 7,376 | 6,704 | 6,628 | 6,913 | 7,260 |
| June | 6,446 | 7,121 | 6,711 | 6,408 | 6,570 |
| July | 7,578 | 7,171 | 6,676 | 6,279 | 6,712 |
| August | 6,823 | 6,252 | 6,668 | 6,880 | 6,870 |
| September | 6,950 | 6,745 | 6,593 | 6,394 | 6,252 |
| October | 7,587 | 6,719 | 6,705 | 6,680 | 6,922 |
| November | 6,832 | 6,288 | 6,842 | 6,705 | 6,596 |
| December | 5,851 | 6,149 | 5,723 | 5,848 | 5,359 |
| Total | 84,065 | 80,518 | 78,069 | 77,758 | 78,841 |

(a) See Explanatory Note 3, page 1.

TABLE 10. LIVE BIRTHS BY AGE OF MOTHER AND NUPTIALITY, N.S.W., 1967

| Age Group | Nuptial | | Ex-Nuptial | | Total | | | |
|------------|---------|---------|------------|---------|--------|---------|---------|--|
| (Years) | Males | Females | Males | Females | Males | Females | Persons | |
| Under 20 | 3,349 | 3,105 | 1,251 | 1,208 | 4,600 | 4,313 | 8,913 | |
| 20-24 | 12,415 | 11,679 | 1,042 | 917 | 13,457 | 12,596 | 26,053 | |
| 25-29 | 11,655 | 11,299 | 469 | 452 | 12,124 | 11,751 | 23,875 | |
| 30-34 | 5,991 | 5,823 | 230 | 260 | 6,221 | 6,083 | 12,304 | |
| 35-39 | 2,897 | 2,648 | 183 | 170 | 3,080 | 2,818 | 5,898 | |
| 40-44 | 799 | 786 | 58 | 52 | 857 | 838 | 1,695 | |
| 45 or | | | | | | | | |
| more | 62 | 33 | 5 | 2 | 67 | 35 | 102 | |
| Not stated | 0 0 | 0 0 0 | 1 | 0 0 0 | 1 | 0 0 0 | 1 | |
| Total | 37,168 | 35,373 | 3,239 | 3,061 | 40,407 | 38,434 | 78,841 | |

TABLE 11. DEATHS, N.S.W.

| THE R. LEWIS CO., LANSING MICHIGAN PRINCIPLE AND ADDRESS OF THE PARTY | Acres properties and the control of | | | | | | Commence of the second |
|---|---|------------------|-----------------|----------------|--------------|--------------|--|
| | Nur | nber of Deat | hs | De | eath Rate (a | 1) | Proportion |
| Year | Males | Females | Persons | Males | Females | Persons | per cent. of Male to Female Rate |
| 1963 1964 | 20,594 21,889 | 16,632 17,588 | 37,226 $39,487$ | 10.13 10.62 | 8.26 8.60 | 9.20 9.61 | 123 124 |
| 1965 1966 | 21,553 22,454 | 17,396 $18,092$ | 38,949 $40,546$ | 10.29 10.56 | 8.37 8.57 | 9.33 9.57 | 123 123 |
| 1967 (b) | 21,947 | 17,666 | 39,613 | 10.15 | 8.23 | 9.19 | 124 123 |

⁽a) Deaths per 1,000 of mean population.(b) See Explanatory Note 3, page 1.

TABLE 12. TOTAL DEATHS IN AGE GROUPS, N.S.W., 1967

| Age Group (Years) | Males | Females | Persons | Age Group (Years) | Males | Females | Persons |
|----------------------|-------|---------|---------|----------------------|--------|---------|---------|
| 0- 4 | 1,023 | 700 | 1,723 | 50-54 | 1,283 | 770 | 2,053 |
| 5- 9 | 92 | 78 | 170 | 55-59 | 1,985 | 969 | 2,954 |
| 10-14 | 77 | 45 | 122 | 60-64 | 2,350 | 1,209 | 3,559 |
| 15-19 | 225 | 82 | 307 | 65-69 | 2,688 | 1,656 | 4,344 |
| 20-24 | 305 | 103 | 408 | 70-74 | 2,888 | 2,309 | 5,197 |
| 25-29 | 232 | 97 | 329 | 75-79 | 3,027 | 2,901 | 5,928 |
| 30-34 | 217 | 106 | 323 | 80 or more | 3,737 | 5,567 | 9,304 |
| 35-39 | 333 | 186 | 519 | Not stated | 3 | 1 | 4 |
| 40-44 | 605 | 361 | 966 | Total | 01 047 | 17 666 | 20 613 |
| 45-49 | 877 | 526 | 1,403 | Deaths | 21,947 | 17,666 | 39,613 |

TABLE 13. PRINCIPAL CAUSES OF DEATH, N.S.W.

| International | | Number o | Number of Deaths | | |
|---------------|---|----------|------------------|--|--|
| Code No. | Cause of Death | 1966 | 1967 (a) | | |
| 001-019 | Tuberculosis (all forms) | 94 | 72 | | |
| 020-138 | Other infective and parasitic diseases | 140 | 130 | | |
| 140-205 | Malignant neoplasms | 5,920 | 6,054 | | |
| 210-239 | Benign and unspecified neoplasms | 87 | 65 | | |
| 241 | Asthma | 217 | 214 | | |
| 260 | Diabetes mellitus | 559 | 607 | | |
| 290-293 | Anaemias | 94 | 104 | | |
| 330-334 | Vascular lesions affecting central nervous system | 5,559 | 5,431 | | |
| 340 | Meningitis except meningococcal and tuberculous | 40 | 24 | | |
| 350 | Paralysis agitans | 108 | 109 | | |
| 410-416 | Chronic rheumatic heart disease | 311 | 274 | | |
| 420-422 | Arteriosclerotic and degenerative heart disease | 13,422 | 13,082 | | |
| 430-434 | Other diseases of the heart | 1,479 | 1,337 | | |
| 440-443 | Hypertension with heart disease | 613 | 583 | | |
| 444-447 | Hypertension without mention of heart | 353 | 288 | | |
| 450 | General arteriosclerosis | 808 | 833 | | |
| 480-483 | Influenza | 112 | 30 | | |
| 490-493 | Pneumonia | 1,589 | 1,292 | | |
| 500-502 | Bronchitis | 1,031 | 984 | | |
| 540-541 | Ulcer of stomach and duodenum | 244 | 232 | | |
| 560,561,570 | Intestinal obstruction and hernia | 195 | 173 | | |
| 581 | Cirrhosis of liver | 224 | 239 | | |
| 590-594 | Nephritis and nephrosis | 392 | 365 | | |
| 600 | Infections of kidney | 357 | 357 | | |
| 640-689 | Complications of pregnancy, childbirth and the | | | | |
| (a) See Ly | puerperium | 22 | 19 | | |
| 750-759 | Congenital malformations | 362 | 379 | | |
| 760-776 | Certain diseases of early infancy | 884 | 857 | | |
| E800-E962 | Accidents | 2,272 | 2,385 | | |
| E963-E999 | Other violence | 741 | 795 | | |
| Residual | All other causes | 2,317 | 2,299 | | |
| | Total Deaths | 40,546 | 39,613 | | |

(a) See Explanatory Note 3, page 1.

TABLE 14. TOTAL DEATHS REGISTERED IN EACH MONTH, N.S.W.

| Month | 1963 | 1964 | 1965 | 1966 | 1967 (a) |
|-----------|--------|--------|--------|--------|----------|
| January | 3,046 | 3,217 | 2,763 | 2,932 | 3,042 |
| February | 2,548 | 2,594 | 2,504 | 2,632 | 2,822 |
| March | 2,546 | 2,591 | 2,995 | 3,057 | 2,847 |
| April | 2,667 | 2,948 | 2,730 | 2,703 | 2,993 |
| May | 3,197 | 3,068 | 3,322 | 3,410 | 3,340 |
| June | 3,184 | 3,853 | 3,817 | 3,704 | 3,578 |
| July | 3,972 | 4,720 | 3,799 | 3,952 | 3,938 |
| August | 3,709 | 3,983 | 4,047 | 4,813 | 4,187 |
| September | 3,443 | 3,480 | 3,890 | 3,847 | 3,568 |
| October | 3,321 | 3,133 | 3,126 | 3,286 | 3,452 |
| November | 2,871 | 3,171 | 3,183 | 3,308 | 3,219 |
| December | 2,722 | 2,729 | 2,773 | 2,902 | 2,627 |
| Total | 37,226 | 39,487 | 38,949 | 40,546 | 39,613 |

⁽a) See Explanatory Note 3, page 1.

TABLE 15. INFANT DEATHS, N.S.W.

| BOTHER CONTROLLED THE CONTROL | Nur | mber of Dea | ths | Infar | Proportion per cent. of | | |
|--|-------|-------------|---------|-------|----------------------------|---------|-----------------------|
| Year | Males | Females | Persons | Males | Females | Persons | Male to Female Rate |
| 1963 | 932 | 741 | 1,673 | 21.64 | 18.07 | 19.90 | 120 |
| 1964 | 933 | 701 | 1,634 | 22.53 | 17.93 | 20.29 | 126 |
| 1965 | 882 | 610 | 1,492 | 21.93 | 16.12 | 19.11 | 136 |
| 1966 | 880 | 610 | 1,490 | 21.90 | 16.23 | 19.16 | 135 |
| 1967 (b) | 873 | 579 | 1,452 | 21.61 | 15.06 | 18.42 | 151 /43 |

⁽a) Deaths of children under 1 year of age per 1,000 live births.

TABLE 16. INFANT DEATHS REGISTERED IN EACH MONTH, N.S.W.

| Month | 1963 | 1964 | 1965 | 1966 | 1967 (a |
|-----------|-------|-------|-------|-------|---------|
| January | 169 | 143 | 103 | 131 | 122 |
| February | 120 | 122 | 85 | 99 | 108 |
| March | 136 | 129 | 144 | 150 | 125 |
| April | 137 | 160 | 110 | 104 | 127 |
| May | 143 | 151 | 123 | 117 | 131 |
| June | 139 | 152 | 158 | 128 | 130 |
| July | 152 | 158 | 150 | 125 | 130 |
| August | 136 | 132 | 123 | 126 | 133 |
| September | 130 | 120 | 147 | 153 | 100 |
| October | 141 | 129 | 108 | 123 | 104 |
| November | 140 | 127 | 144 | 126 | 118 |
| December | 130 | 111 | 97 | 108 | 124 |
| Total | 1,673 | 1,634 | 1,492 | 1,490 | 1,452 |

⁽a) See Explanatory Note 3, page 1.

⁽b) See Explanatory Note 3, page 1.

TABLE 17. DEATHS OF CHILDREN UNDER 5 YEARS OF AGE, N.S.W., 1967

| Age at Death | Sydney Sta | itistical Di | vision (a) | New South Wales | | |
|--|---------------------------------------|--------------------------------------|--|--|---------------------------------------|------------------------------------|
| Age at beath | Males | Females | Persons | Males | Females | Persons |
| Under 1 day 1 day 2 days 3 days 4 days 5 days 6 days | 174 80 35 14 11 5 4 | 119 45 22 16 9 1 5 | 293 125 57 30 20 6 9 | 327 141 55 20 18 7 5 | 222 68 37 26 13 4 6 | 549 209 92 46 31 11 |
| Total under 1 week 1 week 2 weeks 3 weeks | 323 22 9 | 217 12 10 6 | 540 34 19 15 | 573 36 19 17 | 376 17 11 9 | 949 53 30 26 |
| Total under 4 weeks 4 weeks and under 1 year | 363 127 | 245 89 | 608 216 | 645 228 | 413 166 | $1,058 \\ 394$ |
| Total under 1 year 1 year 2 years 3 years 4 years | 490 34 16 11 6 | 334 30 8 6 12 | 824 64 24 17 18 | 873 73 35 25 17 | 579 62 25 17 17 | 1,452 135 60 42 34 |
| Total under 5 years | 557 | 390 | 947 | 1,023 | 700 | 1,723 |

⁽a) See Explanatory Note 8, page 1.

TABLE 18. NEO-NATAL AND INFANT MORTALITY RATES (a), N.S.W.

| Age at Death | 1963 | 1964 | 1965 | 1966 | 1967 (b) |
|---------------------------------------|--------------|--------------|------------------|--------------|--------------|
| Under 1 day 1 day and under 1 week | 7.65 5.09 | 8.01 5.13 | 7 . 62 5 . 09 | 7,57 5,02 | 6.96 5.07 |
| Total under 1 week | 12.74 | 13.14 | 12.71 | 12.59 | 12.04 |
| 1 week and under 4 weeks | 1.36 | 1 . 17 | 1.22 | 1.36 | 1.38 |
| Total under 4 weeks | 14.10 | 14.31 | 13.92 | 13.95 | 13.42 |
| 4 weeks and under 1 year | 5.81 | 5 , 99 | 5.19 | 5.21 | 5.00 |
| Total under 1 year | 19.90 | 20 。29 | 19.11 | 19。16 | 18,42 |

⁽a) Deaths of children at the age shown per 1,000 live births.

TABLE 19. MARRIAGES REGISTERED IN EACH MONTH, N.S.W.

| Month | 1963 | 1964 | 1965 | 1966 | 1967 |
|---|--------|--------|--------|--------|--------|
| January | 3,370 | 3,258 | 2,994 | 3,118 | 3,439 |
| February | 2,730 | 2,606 | 2,946 | 3,221 | 3,302 |
| March | 2,536 | 2,574 | 3,398 | 2,920 | 3,447 |
| April | 3,017 | 3,346 | 2,985 | 3,349 | 3,024 |
| May | 2,577 | 2,452 | 2,966 | 3,030 | 3,349 |
| June | 2,289 | 2,503 | 2,839 | 2,714 | 2,895 |
| July August September October November December | 2,116 | 2,028 | 2,081 | 2,080 | 2,128 |
| | 2,189 | 2,288 | 2,541 | 2,725 | 2,754 |
| | 2,367 | 2,700 | 3,103 | 2,958 | 3,103 |
| | 2,868 | 3,048 | 3,105 | 3,183 | 3,466 |
| | 2,277 | 2,676 | 3,120 | 3,076 | 3,205 |
| | 2,663 | 3,154 | 3,098 | 3,201 | 2,965 |
| Total | 30,999 | 32,633 | 35,176 | 35,575 | 37,077 |

⁽b) See Explanatory Note 3, page 1.

TABLE 20. MARRIAGES OF MINORS, N.S.W.

| Year | Numbe | r of Minors Ma | arried | Percentage of Total Married | | | |
|--------------------------------------|---|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--|
| Tear | Males | Females | Persons | Males | Females | Persons | |
| 1963 1964 1965 1966 1967 | 4,072 4,397 5,205 5,569 5,697 | 12,615 13,425 14,963 15,153 15,665 | 16,687 17,822 20,168 20,722 21,362 | 13.1 13.5 14.8 15.7 15.4 | 40.7 41.1 42.5 42.6 42.2 | 26.9 27.3 28.7 29.1 28.8 | |

TABLE 21. AVERAGE AGE AT MARRIAGE, N.S.W.

| | Average Age | e of Bridegroo | oms (Years) | Average Age of Brides (Years) | | | |
|------|-------------|-----------------------------|-------------------------|-------------------------------|---------------------------|---------------|--|
| Year | Bachelors | Widowers and Divorced | All Bride- grooms | Spinsters | Widows and Divorced | All Brides | |
| 1926 | 27.8 | 44.0 | 29.1 | 24.5 | 39.5 | 25.6 | |
| 1936 | 27.6 | 45.4 | 28.9 | 24.5 | 40.3 | 25.5 | |
| 1946 | 26.8 | 43.7 | 28.4 | 24.0 | 37.7 | 25.4 | |
| 1956 | 26.5 | 46.5 | 28.7 | 23.2 | 40.9 | 25.4 | |
| 1963 | 25.73 | 47.21 | 27.96 | 22.56 | 41.90 | 24.57 | |
| 1964 | 25.58 | 47.29 | 27.72 | 22.40 | 42.16 | 24.50 | |
| 1965 | 25.29 | 46.98 | 27.41 | 22.26 | 42.14 | 24.25 | |
| 1966 | 25.13 | 46.42 | 27.21 | 22.22 | 41.98 | 24.14 | |
| 1967 | 25.03 | 46.44 | 27.25 | 22.25 | 41.90 | 24.28 | |

TABLE 22. MARRIAGES BY DENOMINATION OF MARRIAGE CEREMONY, N.S.W.

| | 1 | 966 | 1967 | | |
|-----------------------|--------|------------------------------------|--------|------------------------------------|--|
| Denomination | Number | Per cent. of Total Marriages | Number | Per cent. of Total Marriages | |
| Church of England | 11,327 | 31.8 | 11,640 | 31.4 | |
| Roman Catholic | 9,882 | 27.8 | 10,254 | 27.7 | |
| Presbyterian | 3,202 | 9.0 | 3,383 | 9.1 | |
| Methodist | 3,162 | 8.9 | 3,723 | 10.0 | |
| Orthodox | 1,601 | 4.5 | 1,445 | 3.9 | |
| Baptist | 568 | 1.6 | 638 | 1.7 | |
| Congregational | 278 | 0.8 | 281 | 0.8 | |
| Lutheran | 161 | 0.5 | 190 | 0.5 | |
| Salvation Army | 147 | 0.4 | 158 | 0.4 | |
| Seventh Day Adventist | 115 | 0.3 | 94 | 0.3 | |
| Churches of Christ | 147 | 0.4 | 187 | 0.5 | |
| Hebrew | 124 | 0.3 | 160 | 0.4 | |
| Other Denominations | 297 | 0.8 | 330 | 0.9 | |
| Registrar's Offices | 4,564 | 12.8 | 4,594 | 12.4 | |
| Total | 35,575 | 100.0 | 37,077 | 100.0 | |

D.W. MAITLAND Acting Deputy Commonwealth Statistician

BUREAU OF CENSUS AND STATISTICS, Bank House, 315 George Street, SYDNEY.

9th September, 1968